

Droperidol

GENERIC NAME

Droperidol

TRADE NAME

Inapsine

DESCRIPTION

Droperidol (Inapsine) is a potent antiemetic and antipsychotic medication used for nausea, vomiting, and chemical restraint in agitated or violent patients.

HOW SUPPLIED

Intramuscular injection solution: 2.5 mg/1 mL

INDICATIONS

- Nausea and vomiting
- Sedation of acutely agitated and/or violent patients (chemical restraint)

CONTRAINDICATIONS

- Known hypersensitivity to Droperidol

MECHANISM OF ACTION

Droperidol is a butyrophenone neuroleptic (antipsychotic) that acts by antagonizing dopamine receptors in the central nervous system, similar to haloperidol.

SIDE EFFECTS

- Sinus tachycardia
- Hypotension
- Dystonic reactions
- Hallucinations

- Drowsiness
- Dizziness
- Chills
- Anxiety

AUTHORIZATION

EMT: Not authorized

EMT-I: Not authorized

Paramedic: Standing order

DOSAGE

- **Adult:**
 - **Active vomiting:** 1.25 mg IV; may repeat once after 10 minutes with Medical Control approval (max dose 2.5 mg).
 - **Agitated/Psychosis (RASS Score +2):** 5 mg IM.
 - **Violent Patient (RASS Score \geq +3):** 10 mg IM; may repeat once after 20 minutes with Medical Control approval.
- **Pediatric:** Not given

Revision #1

Created 14 November 2024 23:38:41 by James Anderson

Updated 14 November 2024 23:48:22 by James Anderson